



云智科技
YDEACHN.COM

Service Hotline: 400-666-9216



Controller Specification

C-5.0

Version: V02 Date: 2017-07-31

Product Summary

Main controller C series is a full range of vide solution designed for the needs of high-end display applications , with features of large loading area, supporting real-time transmission, dot-by-dot correction function, field upgrade, high grayscale & high refresh, various scanning modes, LED fault information transmitted and diagnosis and dot-by-dot monitoring function etc.

Product Feature

- Input resolutions up to 1920x1200,2048 x1152,user-defined.
- Output resolution up to 1920x1200,2048x1152,2560x960,3840x640.
- HDMI/DVI video input, four Ethernet ports output.
- Support DMX port.
- Control Support USB interface and control panel.
- Replace the screen without having to re-set the body.
- Support encryption system.

Technical Specifications

Control area	The biggest control points2304000	Distributor	Support
Input resolution	1920x1200,2048 x1152,user-defined	Load Split	Arbitrarily
Output resolution	1920x1200,2048x1152,2560x960,3840x640	Shaped Display	Support
Multi-machine in parallel	Support	Transmission distance	100m
Video Input	DVI/HDMI	Control Interface	USB、Panel Button
Pixel by pixel correction	Brightness, chromaticity	Temperature	-20℃-75℃
DMX port	Support	Power	100-240VAC 50/60HZ
Online upgrade	Support	Size (L × W × H)	480 × 300 × 44 (mm)

Chassis Interface Definition

前面板:



接口:

- | | | | | |
|--------------|-------------------|------------------|-----------------------------|-----------|
| ① LCD module | ② POWER indicator | ③ WORK indicator | ④ MENU: menu key / exit key | ⑤ Menu up |
| ⑥ Menu down | ⑦ Value up | ⑧ Value down | ⑨ Confirm key | |

后面板:



接口:

- | | | | | |
|-------------------|-------------------|-------------------|---------------|-------------------|
| ① Power interface | ② COM port | ③ SPI port | ④ DVI IN port | ⑤ Signal output 1 |
| ⑥ Signal output 2 | ⑦ Signal output 3 | ⑧ Signal output 4 | ⑨ DMX IN port | ⑩ DMX OUT port |

Chassis Dimensions

